

IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently Amended) A method of verifying a bookmark, comprising the steps:
- (a) storing, as a bookmark in at least a first data structure, a first network information address having information associated therewith ~~in at least a first data structure~~;
 - (b) identifying embedded network information addresses within the information;
 - (c) automatically searching, at a predefined frequency, for the information located at the first network information address to determine whether the first network information address is retrievable;
 - (d) wherein if the first network information address is retrievable, determining whether the information has been moved to a second network information address different from the first network information address; and
 - (e) wherein if the first network information address is not retrievable, making the identified embedded network information addresses available to a user via the stored bookmark.
2. (Original) The method of claim 1, wherein the first network information address is a Uniform Resource Locator (URL).
3. (Original) The method of claim 1, wherein the information located at the first network information address is a Hypertext Markup Language (HTML) document.
4. (Original) The method of claim 1, wherein (b) is performed at a user-defined frequency.

5. (Original) The method of claim 1, wherein if the information has been moved to the second network information address, replacing the first network information address in the first data structure with the second network information address.
6. (Original) The method of claim 1, wherein determining whether the information has been moved to the second network information address comprises scanning source code of the information for embedded hypertext links and detecting only a single hypertext link.
7. (Original) The method of claim 6, further comprising determining whether the information has changed comprising comparing a stored first date to a second date returned by a server, wherein the first date is stored during step (a).
8. (Original) The method of claim 1, wherein if the information has not been moved to the second network information address, determining whether the information located at the first network information address has changed.
9. (Original) The method of claim 8, wherein determining whether the information has changed comprises comparing a stored first date to a second date returned by a server, wherein the first date is stored during step (a).
10. (Original) The method of claim 1, the first data structure has at least a first data field related to the first network information address.
11. (Previously Presented) The method of claim 10, further comprising, storing each identified embedded network information address in a second data structure containing one or more second data fields which relate to the embedded network information addresses.
12. (Original) The method of claim 11, wherein the first data structure and the second data structure are the same.

13. (Previously Presented) The method of claim 11, further comprising generating a verification table containing the first data field and the one or more second data fields.
14. (Previously Presented) The method of claim 1, further comprising, storing each identified embedded network information address in the first data structure.
15. (Previously Presented) The method of claim 14, wherein (c) comprises attempting to download the information located at first network information address, wherein a successful attempt indicates that the first network information address is retrievable and an unsuccessful attempt indicates that the first network information address is irretrievable.
16. (Previously Presented) The method of claim 15, wherein if the information has been moved to the second network information address, replacing the first network information address in the first data structure with the second network information address; and wherein making the identified embedded network information addresses available to the user via the stored bookmark comprises replacing the first network information address in the first data structure with a temporary document containing the one or more embedded network information addresses.
17. (Previously Presented) The method of claim 15, wherein if (c) indicates that the first network information address is retrievable, determining whether the information has changed.
18. (Original) The method of claim 17, wherein determining whether the information has changed comprises comparing a first date stored in the first data structure to a second date returned by a server.

19. (Previously Presented) A computer implemented automated method for maintaining bookmarks, comprising:

(a) storing a bookmark to a network information address having information associated therewith in a data structure;

(b) scanning the information for one or more embedded network information addresses, wherein if any embedded network information addresses are found, storing the embedded network information addresses; and

(c) periodically determining whether the network information address has changed and;

(d) wherein if the network information address has changed:

determining whether a forwarding network information address is provided; and

if not, associating the bookmark with the embedded network information addresses.

20. (Original) The method of claim 19, further comprising performing (c) at a user-defined frequency.

21. (Previously Presented) The method of claim 19, wherein periodically determining whether the network information address has changed comprises attempting to download the information.

22. (Previously Presented) The method of claim 19, wherein the network information address is a URL and the information is an HTML document.

23. (Previously Presented) The method of claim 19, wherein periodically determining whether the network information address has changed comprises loading the network information address from the data structure and attempting to locate the information on a server, wherein a successful attempt indicates that the network information address has not changed and an unsuccessful attempt indicates that the network information address has changed.

24. (Previously Presented) The method of claim 23, wherein if the network information address has changed, and if the forwarding network information address is provided, replacing the bookmark network information address in the data structure with the forwarding network information address.

25. (Previously Presented) The method of claim 19, wherein if the network information address has not changed, determining whether the information has changed.

26. (Original) The method of claim 25, wherein determining whether the information has changed comprises comparing a first date stored in the data structure to a second date returned by a server.

27. (Previously Presented) A signal bearing medium for storing a program that when executed by a computer performs an operation comprising:

(a) downloading a bookmark network information address having information associated therewith;

(b) storing the bookmark network information address in a data structure;

(c) scanning the information for one or more embedded network information addresses, wherein if any embedded network information addresses are found, storing the embedded network information addresses in the data structure; and

(d) periodically determining whether the information is retrievable at the bookmark network information address, wherein:

(i) if the information is not retrievable at the bookmark network information address, determining whether a forwarding network information address is provided, wherein if the forwarding network information address is provided, replacing the bookmark network information address in the data structure with the forwarding network information address, and wherein if a forwarding network information address is not provided, generating a backup document containing the

embedded network information addresses stored in the data structure;
and wherein

(ii) if the information is retrievable at the bookmark network information address, determining whether the information has changed, wherein if the information has changed, repeating (c).

28. (Original) The program of claim 27, wherein determining the bookmark network information address is a URL.

29. (Original) The program of claim 27, wherein determining the information is an HTML document.

30. (Original) The program of claim 27, wherein determining the information has changed comprises comparing a first date stored in the data structure to a second date returned by a server.

31. (Original) The program of claim 27, wherein the bookmark network information address identifies a server computer connected to a client computer, and wherein the program is located on the client computer.

32. (Original) The program of claim 31, wherein the client computer and the server computer are the same computer system.

33. (Original) The program of claim 31, wherein the client computer and the server computer comprise different computer systems connected by a network.

34. (Original) The program of claim 31, wherein the data structure is stored on the client computer.

35. (Previously Presented) A computer implemented method of managing bookmarks, comprising:

(a) in response to a user request to bookmark a web page:
storing a network address for the web page in a bookmark data structure;
storing each hypertext link embedded in the web page in the bookmark data structure in
a manner which associates the embedded hypertext links and the web page; and
associating a graphical bookmark object of a bookmark menu with the web page; and

(b) determining whether the web page has moved to a different network
address;

(c) if the web page has moved, determining whether an updated network
address for the web page can be located; and

(d) if the updated network address cannot be located, associating the
graphical bookmark object with the stored embedded hypertext links of the web page.

36. (Previously Presented) The method of claim 35, wherein (b) is performed at a
predefined frequency.

37. (Previously Presented) The method of claim 35, further comprising displaying
the stored embedded hypertext links of the web page upon a user selection of the
graphical bookmark object.